

Distribution EOLE - Tâche #13283

Scénario # 13290 (Terminé (Sprint)): Sphynx/ARV : faire fonctionner le VPN sur Amon/Sphynx 2.5.1

eole-vpn : le script upstart strongSwan n'est pas activé.

09/29/2015 08:24 AM - Fabrice Barconnière

Status:	Fermé	Start date:	09/21/2015
Priority:	Normal	Due date:	
Assigned To:	Fabrice Barconnière	% Done:	100%
Target version:	Sprint 2015 39-41 - Équipe MENESR	Estimated time:	1.00 hour
		Spent time:	1.50 hour
Description			
le script upstart de strongSwan est présent sous cette forme : <code>/etc/init/strongswan.conf.disabled</code> . Du coup, la commande service strongswan start/stop/status n'a aucun effet.			

Associated revisions

Revision e964b861 - 09/29/2015 08:37 AM - Fabrice Barconnière

debian/eole-vpn.postinst : never start/stop strongswan on runlevel

ref #13283 @30m

Revision 8a1567d2 - 10/02/2015 02:36 PM - Fabrice Barconnière

override script init upstart strongSwan

ref #13283 @30m

Modification apparmor profiles

ref #13330 @30m

History

#1 - 09/29/2015 08:36 AM - Fabrice Barconnière

- Status changed from *Nouveau* to *En cours*

#2 - 09/29/2015 08:36 AM - Fabrice Barconnière

- Assigned To set to *Fabrice Barconnière*

#3 - 09/29/2015 08:38 AM - Fabrice Barconnière

En fait, c'est en postinst du paquet eole-vpn que le fichier de conf est renommé.

Il ne faut pas le renommer mais modifier les lignes **start on** et **stop on** en mettant **never** à la place des runlevel.

#4 - 09/29/2015 09:01 AM - Fabrice Barconnière

- % Done changed from 0 to 100

- Remaining (hours) changed from 1.0 to 0.1

#5 - 09/29/2015 09:47 AM - Scrum Master

- Status changed from *En cours* to *Résolu*

#6 - 09/29/2015 01:45 PM - Fabrice Barconnière

- Parent task changed from #12974 to #13290

#7 - 10/07/2015 03:27 PM - Gilles Grandgérard

- Status changed from *Résolu* to *Fermé*

- Remaining (hours) changed from 0.1 to 0.0