

## piwigo - Evolution #14430

### Paramétrer le debug phpcas convenablement

12/17/2015 02:37 PM - Arnaud FORNEROT

<b>Status:</b> Fermé	<b>Start date:</b> 12/17/2015
<b>Priority:</b> Normal	<b>Due date:</b>
<b>Assigned To:</b>	<b>% Done:</b> 100%
<b>Category:</b>	<b>Estimated time:</b> 0.00 hour
<b>Target version:</b> Envole 4.2	<b>Spent time:</b> 0.00 hour
<b>Distribution:</b>	
<b>Description</b> Faire en sorte que tout les applications est le paramétrage du debug phpcas Et faire en sorte que le chemin de stockage soit /var/log/phpcas/phpcas-nomappli.log	
<b>Related issues:</b>	
Copied from ownCloud - Evolution #14429: Paramétrer le debug phpcas convenabl...	<b>Fermé</b> <b>12/17/2015</b>
Copied to posh-profil - Evolution #14431: Paramétrer le debug phpcas convenab...	<b>Fermé</b> <b>12/17/2015</b>

#### Associated revisions

##### Revision 72b17bdc - 02/03/2016 09:33 AM - Mathieu Terroba

Debug CAS (fixes #14430)

#### History

##### #1 - 02/03/2016 09:55 AM - Mathieu Terroba

- Status changed from *Nouveau* to *Résolu*
- % Done changed from 0 to 100

Appliqué par commit [72b17bdc44b6d81e6b32651a93cc70bd4a4f7d47](#).

##### #2 - 03/14/2016 09:34 AM - Arnaud FORNEROT

- Status changed from *Résolu* to *Fermé*