

## eoale-proxy - Tâche #18279

Scénario # 16748 (Terminé (Sprint)): Faire fonctionner Squid sur Eole 2.6 avec l'authentification

### Traceback CreoleLint sur Amon 2.6.1

07/12/2016 14:13 - Joël Cuissinat

|                       |                                   |                      |            |
|-----------------------|-----------------------------------|----------------------|------------|
| <b>Statut:</b>        | Fermé                             | <b>Début:</b>        | 07/12/2016 |
| <b>Priorité:</b>      | Normal                            | <b>Echéance:</b>     |            |
| <b>Assigné à:</b>     | Joël Cuissinat                    | <b>% réalisé:</b>    | 100%       |
| <b>Version cible:</b> | sprint 2016 48-50 - Équipe MENSUR | <b>Temps estimé:</b> | 1.00 heure |
|                       |                                   | <b>Temps passé:</b>  | 0.90 heure |

#### Description

Après étude, le problème vient d'une tentative d'affichage d'un nom de famille avec accent...

```
@ \-- template desactivé : /usr/share/eole/creole/distrib/hosts
Traceback (most recent call last):
  File "/usr/bin/CreoleLint", line 60, in main
    validate(keyword, ansi, tpl)
  File "/usr/lib/python2.7/dist-packages/creole/lint/creolelint.py", line 1167, in validate
    ansi.process(cl)
  File "/usr/lib/python2.7/dist-packages/creole/lint/ansiwriter.py", line 47, in process
    checks = linter.check()
  File "/usr/lib/python2.7/dist-packages/creole/lint/creolelint.py", line 1126, in check
    parse_templates(self._list_tpl_files())
  File "/usr/lib/python2.7/dist-packages/creole/lint/parsetemplate.py", line 620, in parse_templates
    populate_mandatories()
  File "/usr/lib/python2.7/dist-packages/creole/lint/parsetemplate.py", line 607, in populate_mandatories
    for path in config.cfgimpl_get_values().mandatory_warnings(config):
  File "/usr/lib/python2.7/dist-packages/tiramisu/value.py", line 670, in mandatory_warnings
    for path in _mandatory_warnings(descr):
  File "/usr/lib/python2.7/dist-packages/tiramisu/value.py", line 641, in _mandatory_warnings
    for path in _mandatory_warnings(opt, currpath + [name]):
  File "/usr/lib/python2.7/dist-packages/tiramisu/value.py", line 641, in _mandatory_warnings
    for path in _mandatory_warnings(opt, currpath + [name]):
  File "/usr/lib/python2.7/dist-packages/tiramisu/value.py", line 657, in _mandatory_warnings
    display_warnings=False)
  File "/usr/lib/python2.7/dist-packages/tiramisu/value.py", line 285, in _get_cached_value
    display_warnings=display_warnings)
  File "/usr/lib/python2.7/dist-packages/tiramisu/value.py", line 316, in _get_validated_value
    with_meta, masterlen, session)
  File "/usr/lib/python2.7/dist-packages/tiramisu/value.py", line 132, in _getvalue
    submulti_index)
  File "/usr/lib/python2.7/dist-packages/tiramisu/value.py", line 67, in _getdefaultvalue
    index=index)
  File "/usr/lib/python2.7/dist-packages/tiramisu/autolib.py", line 165, in carry_out_calculation
    validate=False, returns_raise=True)
  File "/usr/lib/python2.7/dist-packages/tiramisu/config.py", line 282, in getattr
    index=index, returns_raise=returns_raise)
  File "/usr/lib/python2.7/dist-packages/tiramisu/config.py", line 323, in getattr
    index=index)
  File "/usr/lib/python2.7/dist-packages/tiramisu/value.py", line 242, in _get_cached_value
    index=index)
  File "/usr/lib/python2.7/dist-packages/tiramisu/setting.py", line 398, in _getproperties
    requires = self.apply_requires(opt, path, setting_properties, index, False)
  File "/usr/lib/python2.7/dist-packages/tiramisu/setting.py", line 656, in apply_requires
    index=idx, returns_raise=True)
  File "/usr/lib/python2.7/dist-packages/tiramisu/config.py", line 274, in getattr
    returns_raise=returns_raise)
  File "/usr/lib/python2.7/dist-packages/tiramisu/config.py", line 85, in cfgimpl_get_home_by_path
    returns_raise=returns_raise)
```

```
File "/usr/lib/python2.7/dist-packages/tiramisu/config.py", line 309, in getattr
    setting_properties=_setting_properties)
File "/usr/lib/python2.7/dist-packages/tiramisu/setting.py", line 522, in validate_properties
    display_list(props)), props,
UnicodeEncodeError: 'ascii' codec can't encode character u'\xe9' in position 16: ordinal not in range(128)@Z
```

## Révisions associées

---

### Révision bb3321c4 - 07/12/2016 14:16 - Joël Cuissinat

Normalisation de l'encodage des noms de famille

Ref: #18279 @0.75

## Historique

---

### #1 - 07/12/2016 14:13 - Joël Cuissinat

- *Projet changé de eole-proxy à creole*

- *Statut changé de Nouveau à En cours*

### #2 - 07/12/2016 14:17 - Joël Cuissinat

- *% réalisé changé de 0 à 100*

- *Restant à faire (heures) changé de 1.0 à 0.15*

### #3 - 08/12/2016 09:42 - Scrum Master

- *Projet changé de creole à eole-proxy*

- *Statut changé de En cours à Résolu*

### #4 - 08/12/2016 17:41 - Gilles Grandgérard

ok

### #5 - 08/12/2016 17:42 - Gilles Grandgérard

- *Statut changé de Résolu à Fermé*

- *Restant à faire (heures) changé de 0.15 à 0.0*