

EWT - Tâche #19460

Scénario # 19456 (Terminé (Sprint)): Rendre accessible l'EAD sur un Scribe (configuration Nginx/Apache)

Gérer le cas des modules utilisant Apache

03/02/2017 09:41 AM - Lohysia MOUETTE

Status:	Fermé	Start date:	02/13/2017
Priority:	Normal	Due date:	
Assigned To:	Bruno Boiget	% Done:	80%
Target version:	sprint 2017 10-12 EWT	Estimated time:	4.00 hours
		Spent time:	5.00 hours
Description			
Une configuration du portail est disponible pour Apache.			
la gestion des actions 'external' en semble pas gérable sans passer par nginx (à première vue, il n'y a pas d'équivalent au module auth_request sur apache).			
si aucune solution ne semble possible à travers Apache, voir comment renvoyer sur nginx pour l'EAD			
Related issues:			
Copied from EWT - Tâche #19400: Gérer le cas des modules utilisant Apache			Reporté 02/13/2017

Associated revisions

Revision 4da25107 - 03/07/2017 03:49 PM - Bruno Boiget

Invert dependencies order (eole-web/eole-reverseproxy)

ref #19460

Revision c67e895d - 03/08/2017 01:59 PM - Bruno Boiget

Serve EAD3 with nginx when using eole-web

- creates a new server on localhost:4300 (nginx)
- proxy /ead to nginx in apache

ref #19460

Revision e8399cd2 - 03/08/2017 03:39 PM - Bruno Boiget

Serve EAD3 with nginx when using eole-web

- creates a new server on localhost:4300 (nginx)
- proxy /ead to nginx in apache

ref #19460

Revision 3a073e31 - 03/08/2017 04:53 PM - Bruno Boiget

add dependancy on nginx-full

ref #19460

Revision e874916b - 03/09/2017 11:40 AM - Lionel Morin

Add rm=True for apache conf when activer_ead3 is set to non

ref #19460

Revision e82713d9 - 03/09/2017 01:44 PM - Bruno Boiget

Put external apps URL under /ead path

ref #19460

Revision 1746e90c - 03/14/2017 03:14 PM - Daniel Dehennin

Nginx family can be disabled when apache is enabled

- dicos/29_ead3.xml: New variable to by-pass the absence of "do not disable target if source is disabled" on the test with "nginx_degrade_http".

Ref: #19460

Revision fd8945bf - 03/14/2017 03:19 PM - Daniel Dehennin

Revert "Invert dependencies order (eole-web/eole-reverseproxy)"

- we do not want to install eole-web on amon

- we can't use Breaks/Conflicts/Replaces since AmonEcole has both packages

Install eole-reverseproxy everywhere since GenConfig and EAD3 dictionaries are now fixed for Scribe.

This reverts commit 4da2510759068529cc2c4c42371fcd7a4eca6dfa.

Ref: #19460

Revision b6842197 - 03/14/2017 03:24 PM - Daniel Dehennin

Revert "Invert dependencies order (eole-web/eole-reverseproxy)"

- we do not want to install eole-web on amon

- we can't use Breaks/Conflicts/Replaces since AmonEcole has both packages

Install eole-reverseproxy everywhere since GenConfig and EAD3 dictionaries are now fixed for Scribe.

This reverts commit 4da2510759068529cc2c4c42371fcd7a4eca6dfa for develop.

History

#1 - 03/07/2017 02:58 PM - Bruno Boiget

- Status changed from *Nouveau* to *En cours*

#2 - 03/07/2017 02:58 PM - Bruno Boiget

- Assigned To set to *Bruno Boiget*

#3 - 03/08/2017 12:29 PM - Bruno Boiget

- Remaining (hours) changed from 4.0 to 1.0

#4 - 03/08/2017 12:32 PM - Bruno Boiget

- % Done changed from 0 to 80

Solution retenue:

- la configuration `/etc/nginx/web.d/ead3.conf` est toujours générée quand l'ead3 est actif
- dans le cas d'Apache
 - nginx sert cette configuration sur le port 4300 (en http sur localhost seulement)
 - apache fait reverse-proxy vers nginx pour /ead
- inchangé dans le cas de nginx

#5 - 03/09/2017 09:57 AM - Scrum Master

- Status changed from *En cours* to *Résolu*

#6 - 03/09/2017 11:53 AM - Gwenael Remond

- Status changed from *Résolu* to *Fermé*

- Remaining (hours) changed from 1.0 to 0.0